Test Type: CHRONIC

Species/Strain: RATS/F 344/N

Route: DOSED FEED

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH **AVERAGE SEVERITY GRADES[b]**

Milk thistle extract

CAS Number: 84604-20-6

F1_R2

C Number: C20008

Lock Date: 06/29/2006

Cage Range: ALL

Date Range: ALL

Reasons For Removal: ALL

Removal Date Range: ALL

Treatment Groups: Include ALL

Study Gender: Both

TDMSE Version: 2.0.0 Date Report Requested: 10/09/2008

Time Report Requested: 11:00:55 First Dose M/F: 03/04/03 / 03/04/03

Route: DOSED FEED

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Milk thistle extract **CAS Number:** 84604-20-6

Time Report Requested: 11:00:55 First Dose M/F: 03/04/03 / 03/04/03

Date Report Requested: 10/09/2008

Lab: SRI

FISCHER 344 RATS MALE	0 PPM	12500 PPM	25000 PPM	50000 PPM	
Disposition Summary					
Animals Initially in Study	50	50	50	50	
Early Deaths Moribund Sacrifice	10	12	12	9	
Natural Death	4	2	3	3	
Survivors Terminal Sacrifice	36	36	35	38	
Animals Examined Microscopically	50	50	50	50	
LIMENTARY SYSTEM					
Esophagus	(50)	(50)	(50)	(49)	
Inflammation, Acute Intestine Large, Cecum	1 [1.0] (49)	(49)	(49)	(47)	
Ulcer	(43)	(43)	1 [4.0]	(47)	
Intestine Large, Colon	(46)	(48)	(47)	(47)	
Edema	1 [3.0]			1 [4.0]	
Necrosis			1 [4.0]		
Ulcer	1 [2.0]	(50)	(47)	1 [4.0]	
Intestine Large, Rectum	(47)	(50)	(47)	(46)	
Edema Fibrosis		1 [3.0] 1 [2.0]		1 [3.0] 1 [3.0]	
Hemorrhage		1 [2.0]		1 [3.0] 1 [1.0]	
Hemorrhage, Chronic				1 [3.0]	
Inflammation, Chronic				1 [3.0]	
Necrosis	1 [1.0]			. [0.0]	
Intestine Small, Duodenum	(48)	(48)	(48)	(49)	
Intestine Small, Ileum	(47)	(47)	(48)	(48)	
Intestine Small, Jejunum	(46)	(48)	(47)	(47)	
Perforation	(/	(/	('- /	1 [4.0]	
Ulcer		1 [3.0]		1	
Liver	(50)	(50)	(50)	(50)	
Angiectasis	3 [2.0]	. ,	. ,	1 [1.0]	
Atrophy	1 [3.0]				
Basophilic Focus	33	36	32	34	
Clear Cell Focus	29	29	31	33	
Degeneration, Cystic		2 [1.0]			

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED FEED

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Milk thistle extract

CAS Number: 84604-20-6

Time Report Requested: 11:00:55 First Dose M/F: 03/04/03 / 03/04/03

Date Report Requested: 10/09/2008

Lab: SRI

FISCHER 344 RATS MALE	0 PPM	12500 PPM	25000 PPM	50000 PPM	
Eosinophilic Focus	12	7	10	19	
Hematopoietic Cell Proliferation	1 [1.0]				
Hepatodiaphragmatic Nodule	4	4	6	3	
Infarct				2 [4.0]	
Infiltration Cellular, Mixed Cell	31 [1.1]	32 [1.0]	27 [1.1]	15 [1.0]	
Malformation			1		
Mixed Cell Focus	9	5	7	5	
Necrosis, Focal	1 [1.0]			1 [2.0]	
Pigmentation, Focal	1 [2.0]				
Bile Duct, Hyperplasia	50 [2.5]	48 [2.4]	44 [2.1]	17 [1.4]	
Hepatocyte, Vacuolization Cytoplasmic	8 [2.5]	9 [2.0]	9 [2.4]	4 [2.3]	
Serosa, Fibrosis				1 [4.0]	
Mesentery	(3)	(2)	(6)	(6)	
Accessory Spleen			1	2	
Fat, Necrosis	3 [2.0]	1 [4.0]	3 [1.7]	4 [2.8]	
Oral Mucosa	(0)	(0)	(1)	(0)	
Pharyngeal, Hyperplasia			1 [3.0]		
Pancreas	(50)	(50)	(50)	(50)	
Atrophy	42 [1.8]	36 [1.6]	35 [1.7]	30 [1.6]	
Metaplasia, Hepatocyte			1 [1.0]	1 [2.0]	
Acinus, Hyperplasia, Focal	5 [1.8]	4 [2.8]	8 [2.8]	9 [2.0]	
Duct, Ectasia	24 [2.0]	27 [1.5]	19 [1.6]	27 [1.7]	
Salivary Glands	(48)	(50)	(50)	(50)	
Atrophy	7 [1.6]	7 [1.0]	4 [1.3]	9 [1.2]	
Hyperplasia, Lymphoid				1 [1.0]	
Inflammation, Acute	1 [2.0]				
Stomach, Forestomach	(50)	(50)	(50)	(50)	
Edema	2 [3.0]	4 [2.8]	5 [2.2]	3 [2.0]	
Inflammation, Chronic Active		1 [1.0]			
Ulcer	3 [4.0]	4 [4.0]	4 [2.5]	3 [3.3]	
Epithelium, Hyperplasia	3 [2.3]	6 [2.3]	7 [2.7]	5 [1.4]	
Stomach, Glandular	(50)	(50)	(49)	(50)	
Cyst	1 [2.0]	1 [3.0]			
Edema	1 [2.0]	2 [2.5]	2 [2.0]	1 [2.0]	
Erosion	3 [1.3]	3 [1.3]	3 [1.7]	2 [2.5]	
Ulcer	4 [2.8]	1 [4.0]	4 [2.8]	3 [1.7]	
Glands, Hyperplasia		1 [2.0]		1 [4.0]	
Tongue	(1)	(1)	(0)	(0)	
Hyperplasia		1 [3.0]			

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: RATS/F 344/N

Route: DOSED FEED

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Milk thistle extract

CAS Number: 84604-20-6

Time Report Requested: 11:00:55 First Dose M/F: 03/04/03 / 03/04/03

Date Report Requested: 10/09/2008

FISCHER 344 RATS MALE	0 PPM	12500 PPM	25000 PPM	50000 PPM
CARDIOVASCULAR SYSTEM				
Heart	(50)	(50)	(50)	(50)
Cardiomyopathy	48 [1.5]	45 [1.2]	45 [1.3]	42 [1.3]
Thrombosis	3 [2.7]	4 [2.8]	7 [2.6]	2 [2.5]
Myocardium, Necrosis	1 [3.0]	1 [3.0]	1 [1.0]	
Valve, Hyperplasia	1 [2.0]	1 [2.0]	3 [2.3]	3 [1.7]
ENDOCRINE SYSTEM				
Adrenal Cortex	(50)	(50)	(50)	(50)
Accessory Adrenal Cortical Nodule	26 [1.4]	24 [1.5]	18 [1.4]	16 [1.4]
Degeneration, Cystic	1 [4.0]			
Degeneration, Fatty	17 [1.5]	17 [1.3]	24 [1.5]	15 [1.5]
Hyperplasia, Focal	7 [1.9]	12 [1.5]	14 [1.9]	6 [1.8]
Hypertrophy, Focal		4 [1.5]	1 [1.0]	1 [2.0]
Necrosis			1 [1.0]	1 [1.0]
Adrenal Medulla	(50)	(49)	(50)	(50)
Angiectasis	1 [3.0]			_
Hyperplasia	14 [2.0]	16 [1.7]	10 [2.0]	15 [2.1]
Islets, Pancreatic	(50)	(50)	(50)	(50)
Amyloid Deposition, Focal		1 [2.0]		
Hyperplasia	2 [2.5]	2 [2.0]	3 [1.3]	(4=)
Parathyroid Gland	(50)	(49)	(49)	(47)
Cyst		4 [0 0]	1 [2.0]	
Hyperplasia, Focal	(50)	1 [2.0]	(50)	(50)
Pituitary Gland	(50)	(50)	(50)	(50)
Hemorrhage Infiltration Cellular, Histiocyte	1 [2 0]	1 [1.0]		
Pigmentation Pigmentation	1 [2.0] 1 [3.0]		1 [1.0]	
Pars Distalis, Angiectasis	2 [2.0]	4 [3.0]	1 [1.0] 1 [3.0]	
Pars Distalis, Arigiectasis Pars Distalis, Cyst	2 [2.0] 6 [2.0]	4 [3.0] 2 [2.0]	5 [2.4]	5 [2.0]
Pars Distalis, Cyst Pars Distalis, Hyperplasia	6 [2.0] 1 [3.0]	2 [2.0] 1 [2.0]	2 [3.5]	5 [2.0] 5 [3.4]
Pars Distalis, Hyperplasia Pars Distalis, Hyperplasia, Focal	1 [3.0] 11 [1.7]	14 [1.5]	2 [3.5] 19 [1.7]	15 [2.0]
Pars Distalis, Hypertrophy	11[1.7]	1 [3.0]	1 [3.0]	10 [2.0]
Pars Intermedia, Cyst	2 [2.0]	4 [2.3]	1 [2.0]	2 [2.0]
Rathke's Cleft, Hemorrhage	2 [2.5]	· [2.0]	2 [2.0]	رد.٠١
Thyroid Gland	(48)	(49)	(50)	(49)
Degeneration, Cystic	6 [1.3]	7 [1.0]	5 [1.8]	4 [1.0]

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Test Type: CHRONIC

Route: DOSED FEED

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Milk thistle extract

CAS Number: 84604-20-6

Time Report Requested: 11:00:55 First Dose M/F: 03/04/03 / 03/04/03

Date Report Requested: 10/09/2008

Lab: SRI

FISCHER 344 RATS MALE	0 PPM	12500 PPM	25000 PPM	50000 PPM	
Pigmentation Ultimobranchial Cyst C-cell, Hyperplasia Follicular Cell, Hyperplasia, Focal	1 [1.0] 9 [1.3]	2 [1.0] 25 [1.6] 4 [1.8]	1 [2.0] 2 [1.5] 15 [1.9] 2 [3.0]	4 [1.5] 16 [1.6]	
GENERAL BODY SYSTEM					
Tissue NOS Inflammation, Chronic Necrosis	(1)	(1) 1 [1.0]	(1)	(2) 1 [4.0]	
GENITAL SYSTEM					
Epididymis Granuloma Sperm Inflammation Inflammation, Chronic	(50) 1 [2.0] 1 [1.0]	(50) 1 [4.0] 1 [2.0]	(50)	(50) 1 [4.0]	
Preputial Gland Cyst Hyperplasia Inflammation, Chronic	(50) 1 [3.0] 3 [2.3] 39 [1.8]	(49) 1 [4.0] 6 [1.3] 37 [1.9]	(50) 1 [2.0] 40 [1.9]	(50) 1 [3.0] 2 [3.0] 40 [1.8]	
Duct, Ectasia Prostate Fibrosis Inflammation, Chronic	(50) 19 [1.8]	(50) 17 [2.2]	1 [4.0] (50) 13 [1.9]	(50) 1 [2.0] 16 [2.1]	
Epithelium, Hyperplasia Seminal Vesicle Inflammation	9 [1.2] (50) 1 [4.0]	8 [1.4] (50)	8 [1.3] (50)	7 [1.4] (50)	
Testes Atrophy Inflammation Germinal Epithelium, Atrophy	(50) 6 [3.7]	(50) 8 [2.9]	(50) 1 [3.0] 11 [3.0]	(50) 1 [4.0] 7 [2.4]	
Interstitial Cell, Hyperplasia HEMATOPOIETIC SYSTEM	3 [1.0]	4 [1.0]	5 [1.6]	5 [1.2]	
Bone Marrow Amyloid Deposition	(48) 1 [3.0]	(50)	(50)	(49)	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED FEED

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Milk thistle extract

CAS Number: 84604-20-6

Time Report Requested: 11:00:55 First Dose M/F: 03/04/03 / 03/04/03

Date Report Requested: 10/09/2008

Lab: SRI

FISCHER 344 RATS MALE	0 PPM	12500 PPM	25000 PPM	50000 PPM	
Hyperplasia	5 [3.2]	7 [1.9]	9 [2.0]	6 [2.3]	
Infiltration Cellular, Histiocyte	1 [3.0]	1 [1.0]			
Myelofibrosis	1 [1.0]	1 [3.0]	2 [1.0]		
Lymph Node	(10)	(11)	(18)	(6)	
Mediastinal, Abscess	, ,	. ,	, ,	ĺ	
Mediastinal, Ectasia	1 [4.0]	1 [4.0]			
Mediastinal, Hemorrhage	2 [2.5]	1 [4.0]	3 [3.0]		
Mediastinal, Hyperplasia, Lymphoid	2 [2.0]	2 [2.0]	4 [2.3]		
Mediastinal, Pigmentation	1 [2.0]	1 [3.0]	2 [1.5]		
Pancreatic, Ectasia	1 [3.0]	£3	,		
Pancreatic, Hemorrhage	1 [2.0]				
Pancreatic, Hyperplasia, Lymphoid	. []		1 [2.0]		
Lymph Node, Mandibular	(1)	(1)	(1)	(3)	
Ectasia	(')	(')	(')	1 [1.0]	
Hyperplasia, Lymphoid			1 [1.0]	· [1.0]	
Lymph Node, Mesenteric	(50)	(50)	(50)	(50)	
Atrophy	(30)	(50)	(30)	1 [2.0]	
Ectasia	1 [2.0]		1 [3.0]	1 [2.0] 1 [1.0]	
Hemorrhage	3 [1.0]	4 [1.3]	1 [1.0]	3 [1.0]	
Hyperplasia, Lymphoid	15 [1.8]	31 [1.9]	23 [2.0]	20 [1.9]	
Hyperplasia, Reticulum Cell	[0.1]	31 [1.9]	23 [2.0]	20 [1.9] 1 [3.0]	
Pigmentation	4E [4 0]	27 [4 0]	17 [1 0]		
Spleen	45 [1.2]	27 [1.0]	17 [1.0]	9 [1.0]	
	(50)	(50)	(50)	(50)	
Accessory Spleen	1	0.10.01	10.01.0	0.10.51	
Fibrosis	4 [2.8]	3 [2.0]	2 [2.0]	2 [2.5]	
Hematopoietic Cell Proliferation	4 [3.3]		3 [3.0]	2 [1.5]	
Hyperplasia, Lymphoid, Focal	1 [4.0]	4 50 01	1 [3.0]	4 50 03	
Necrosis	1 [3.0]	1 [3.0]	40.75.57	1 [3.0]	
Pigmentation	44 [1.9]	45 [2.1]	42 [2.0]	45 [2.2]	
Lymphoid Follicle, Atrophy			1 [2.0]		
Lymphoid Follicle, Hyperplasia	5 [2.2]	6 [1.5]	6 [2.3]	7 [1.9]	
Thymus	(41)	(42)	(46)	(42)	
Cyst	1 [2.0]	1 [3.0]			
EGUMENTARY SYSTEM					
Mammary Gland	(49)	(49)	(48)	(49)	
Fibrosis	1 [2.0]			1 [3.0]	
Hyperplasia	17 [1.7]	18 [1.5]	13 [1.3]	13 [1.7]	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED FEED

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Milk thistle extract

CAS Number: 84604-20-6

Time Report Requested: 11:00:55 First Dose M/F: 03/04/03 / 03/04/03

Date Report Requested: 10/09/2008

Lab: SRI

FISCHER 344 RATS MALE	0 PPM	12500 PPM	25000 PPM	50000 PPM	
Duct, Ectasia Skin	8 [2.1] (50)	12 [1.9]	4 [1.5] (50)	14 [2.7]	
Cyst Epithelial Inclusion	(50)	(50) 2	(50)	(50) 2	
Fibrosis		1 [3.0]	1 [3.0]		
Hyperkeratosis Inflammation, Chronic	4 [4.0] 4 [1.5]	3 [3.0]	1 [4.0]		
Ulcer	4 [1.0]		1 [2.0]		
Epidermis, Hyperplasia	3 [2.7]	2 [1.5]	1 [2.0]		
Prepuce, Inflammation, Chronic		1 [3.0]			
MUSCULOSKELETAL SYSTEM					
Bone	(50)	(50)	(50)	(50)	
Femur, Osteopetrosis	2 [3.0]	(4)	(0)	(0)	
Skeletal Muscle	(1)	(4)	(0)	(0)	
NERVOUS SYSTEM					
Brain	(50)	(50)	(50)	(50)	
Compression	3 [2.7]	4 [3.3]	1 [2.0]	6 [3.2]	
Degeneration Developmental Malformation	1 [1.0]			1 [1.0]	
Gliosis, Focal				1 [2.0]	
Hemorrhage Hyperplasia	5 [1.0] 1 [2.0]	18 [1.1] 1 [1.0]	6 [1.0]	13 [1.0]	
Infiltration Cellular, Lymphocyte	1 [2.0] 1 [1.0]	1 [1.0]			
Necrosis	1 [3.0]		1 [2.0]		
Spinal Cord	(8)	(5)	(2)	(5)	
RESPIRATORY SYSTEM					
Lung	(50)	(50)	(50)	(50)	
Congestion	1 [4.0]	2 [1.5]			
Hemorrhage Infiltration Cellular, Histiocyte	1 [2.0] 34 [1.0]	2 [1.5] 48 [1.1]	4 [1.3] 43 [1.0]	39 [1.1]	
Inflammation, Chronic	34 [1.0]	1 [1.0]	2 [1.0]	6 [1.2]	
Metaplasia, Osseous	1 [1.0]	2 [1.0]		4 [1.3]	
Thrombosis	1 [2.0]				

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED FEED

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Milk thistle extract

CAS Number: 84604-20-6

Time Report Requested: 11:00:55 First Dose M/F: 03/04/03 / 03/04/03

Date Report Requested: 10/09/2008

Lab: SRI

FISCHER 344 RATS MALE	0 PPM	12500 PPM	25000 PPM	50000 PPM
Alveolar Epithelium, Hyperplasia	17 [1.5]	18 [1.6]	17 [1.8]	13 [1.5]
Nose	(50)	(50)	(50)	(50)
Foreign Body	10 [1.8]	8 [1.8]	7 [1.3]	5 [1.2]
Hemorrhage	40 [4 7]	1 [4.0]	0.14.01	0.14.01
Inflammation, Chronic	16 [1.7]	15 [1.7]	6 [1.2]	9 [1.2]
Necrosis	1 [2.0]	1 [1.0]		
Thrombosis Goblet Cell, Hyperplasia	3 [2.7]	1 [3.0]	1 [2 0]	1 [2 0]
Respiratory Epithelium, Hyperplasia	6 [1.7]	2 [2.0] 6 [1.8]	1 [2.0]	1 [2.0] 1 [2.0]
Respiratory Epithelium, Metaplasia,	1 [2.0]	1 [2.0]	1 [1.0]	1 [2.0]
Squamous	1 [2.0]	1 [2.0]	1 [1.0]	
PECIAL SENSES SYSTEM				
Eye	(48)	(48)	(48)	(49)
Cataract	18 [1.4]	16 [1.4]	18 [1.4]	20 [1.6]
Edema	.0[]	2 [3.0]	1 [4.0]	3 [3.7]
Inflammation, Chronic		_ []	1 [1.0]	2 [2]
Retinal Detachment		1 [4.0]	1 [3.0]	
Bilateral, Cataract	19 [1.9]	10 [1.7]	6 [1.3]	6 [1.7]
Retina, Degeneration	7 [3.0]	4 [3.5]	3 [3.0]	5 [2.8]
Harderian Gland	(50)	(50)	(50)	(50)
Hyperplasia, Focal	1 [1.0]	2 [1.0]	1 [1.0]	3 [2.3]
Inflammation, Chronic	3 [2.0]	2 [2.0]	2 [2.0]	4 [1.0]
Zymbal's Gland	(0)	(1)	(0)	(1)
Cyst		1		
RINARY SYSTEM				
Kidney	(50)	(50)	(48)	(50)
Cyst	1 [1.0]	1 [4.0]	1 [3.0]	• •
Inflammation, Suppurative				2 [1.0]
Metaplasia, Osseous				1 [2.0]
Mineralization	13 [1.1]	11 [1.0]	7 [1.0]	20 [1.1]
Nephropathy	46 [1.4]	47 [1.4]	42 [1.3]	46 [1.4]
Renal Tubule, Dilatation				1 [2.0]
Renal Tubule, Hyperplasia	1 [2.0]	2 [1.5]		
Renal Tubule, Necrosis	1 [2.0]	4 [4 0]	0.00.01	
Renal Tubule, Pigmentation		1 [4.0]	2 [2.0]	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Test Type: CHRONIC

Species/Strain: RATS/F 344/N

Route: DOSED FEED

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Milk thistle extract

CAS Number: 84604-20-6

Date Report Requested: 10/09/2008

Time Report Requested: 11:00:55 First Dose M/F: 03/04/03 / 03/04/03

Lab: SRI

FISCHER 344 RATS MALE	0 PPM	12500 PPM	25000 PPM	50000 PPM
Transitional Epithelium, Hyperplasia Urinary Bladder Transitional Epithelium, Hyperplasia	25 [1.2] (50) 1 [2.0]	10 [1.4] (50) 2 [1.0]	6 [1.3] (50)	18 [1.2] (50)

*** END OF MALE ***

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: RATS/F 344/N

Fat, Necrosis

Pharyngeal, Hyperplasia

Oral Mucosa

Pancreas

Route: DOSED FEED

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Milk thistle extract CAS Number: 84604-20-6

Time Report Requested: 11:00:55 First Dose M/F: 03/04/03 / 03/04/03

Date Report Requested: 10/09/2008

Lab: SRI

FISCHER 344 RATS FEMALE	0 PPM	12500 PPM	25000 PPM	50000 PPM	
Disposition Summary					
Animals Initially in Study Early Deaths	50	50	50	50	
Moribund Sacrifice	6	9	14	8	
Natural Death	6	5	2	5	
Survivors					
Natural Death		1			
Terminal Sacrifice	38	35	34	37	
Animals Examined Microscopically	50	50	50	50	
LIMENTARY SYSTEM					
Intestine Large, Cecum	(43)	(48)	(49)	(49)	
Edema	(44)	(45)	(40)	1 [4.0]	
Intestine Large, Colon	(44)	(45)	(48)	(46)	
Ulcer	(50)	(50)	(40)	1 [4.0]	
Liver	(50)	(50)	(49)	(50)	
Angiectasis	1 [2.0]	2 [2.0] 44	1 [3.0] 44	42	
Basophilic Focus Clear Cell Focus	44	10	44 17	43 21	
Eosinophilic Focus	9 5	13	11	21 11	
Hematopoietic Cell Proliferation	Э		1 [1.0]	11	
Hepatodiaphragmatic Nodule	6	2 [1.0] 5	1 [1.0] 4	5	
Infiltration Cellular, Mixed Cell	37 [1.2]	34 [1.0]	36 [1.1]	39 [1.1]	
Mixed Cell Focus	37 [1.2]	34 [1.0] 6	30 [1.1] 11	10	
Necrosis, Focal	3 [1.0]	2 [1.5]	11	1 [1.0]	
Bile Duct, Hyperplasia	37 [1.4]	10 [1.7]	10 [1.3]	8 [1.1]	
Hepatocyte, Vacuolization Cytoplasmic	8 [2.4]	9 [2.2]	8 [1.9]	6 [2.3]	
Hepatocyte, Vacuolization Cytoplasmic, Focal	∪ [۲.۶]	2	1	1	
Serosa, Fibrosis	1 [1.0]				
Mesentery	(10)	(10)	(4)	(8)	
Accessory Spleen	(10)	(10)	(4)	(6)	
Fot Norresis	0 [4 0]	0.10.01	4 [0 0]	2	

8 [1.8]

(0)

(48)

4 [2.3]

(1)

1 [2.0]

(49)

6 [2.0]

(0)

(49)

8 [2.0]

(0)

(48)

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED FEED

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Milk thistle extract

CAS Number: 84604-20-6

Time Report Requested: 11:00:55 First Dose M/F: 03/04/03 / 03/04/03

Date Report Requested: 10/09/2008

Lab: SRI

FISCHER 344 RATS FEMALE	0 PPM	12500 PPM	25000 PPM	50000 PPM	
Atrophy	23 [1.4]	19 [1.6]	25 [1.2]	26 [1.3]	
Metaplasia, Hepatocyte	1 [1.0]			- 1	
Acinus, Hyperplasia, Focal	2 [1.5]	1 [1.0]	2 [2.0]	1 [1.0]	
Duct, Ectasia	14 [1.4]	14 [1.8]	16 [1.4]	17 [1.3]	
Salivary Glands	(50)	(50)	(50)	(50)	
Angiectasis	1 [2.0]	, ,	, ,	, ,	
Atrophy	12 [1.2]	10 [1.2]	13 [1.1]	16 [1.1]	
Hyperplasia, Lymphoid		1 [1.0]			
Infiltration Cellular	1 [2.0]				
Stomach, Forestomach	(49)	(48)	(49)	(50)	
Edema	2 [2.0]	1 [4.0]	1 [3.0]	1 [3.0]	
Erosion	1 [3.0]			1 [1.0]	
Inflammation, Chronic Active		1 [1.0]			
Ulcer	1 [4.0]	1 [4.0]		1 [4.0]	
Epithelium, Hyperplasia	3 [2.0]	5 [1.8]	2 [2.5]	1 [3.0]	
Stomach, Glandular	(49)	(47)	(49)	(49)	
Edema		2 [2.0]			
Erosion	7 [1.6]	2 [1.5]	2 [2.0]	1 [2.0]	
Infiltration Cellular, Mononuclear Cell	1 [1.0]				
Inflammation			1 [1.0]		
Ulcer	2 [1.5]	1 [2.0]	1 [2.0]	3 [1.7]	
Epithelium, Hyperplasia			1 [3.0]		
Tongue	(0)	(1)	(1)	(0)	
Hyperplasia		1 [3.0]			
ARDIOVASCULAR SYSTEM					
Heart	(50)	(50)	(50)	(50)	
Cardiomyopathy	32 [1.1]	33 [1.0]	28 [1.3]	34 [1.2]	
Thrombosis		1 [2.0]	2 [1.5]	1 [2.0]	
Valve, Hyperplasia	1 [2.0]	1 [2.0]			
NDOCRINE SYSTEM					
Adrenal Cortex	(48)	(48)	(49)	(50)	
Accessory Adrenal Cortical Nodule	7 [1.1]	15 [1.1]	11 [1.4]	7 [1.4]	
Degeneration, Fatty	16 [1.6]	17 [1.6]	24 [1.8]	22 [1.5]	
Fibrosis	1 [3.0]		• •		
Hyperplasia, Focal	21 [1.7]	21 [1.5]	21 [1.5]	29 [2.0]	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED FEED

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Milk thistle extract

CAS Number: 84604-20-6

First Dose M/F: 03/04/03 / 03/04/03

Date Report Requested: 10/09/2008

Time Report Requested: 11:00:55

Lab: SRI

FISCHER 344 RATS FEMALE	0 PPM	12500 PPM	25000 PPM	50000 PPM	
	0.54.03	0.11.73	4.54.03	4.54.03	
Hypertrophy, Focal	2 [1.0]	3 [1.7]	1 [1.0]	1 [1.0]	
Necrosis	1 [1.0]	1 [4.0]	1 [3.0]	4.54.03	
Capsule, Hyperplasia	(12)	(12)	1 [1.0]	1 [1.0]	
Adrenal Medulla	(48)	(48)	(48)	(50)	
Hyperplasia	3 [1.3]	10 [1.6]	3 [1.7]	6 [1.8]	
Infiltration Cellular, Lipocyte		1 [2.0]			
Bilateral, Hyperplasia	1 [3.0]				
Islets, Pancreatic	(48)	(48)	(49)	(49)	
Hyperplasia	1 [1.0]				
Parathyroid Gland	(49)	(48)	(47)	(49)	
Pituitary Gland	(50)	(50)	(50)	(50)	
Pars Distalis, Angiectasis	10 [3.1]	6 [3.2]	5 [2.8]	7 [2.0]	
Pars Distalis, Cyst	12 [1.9]	18 [2.1]	20 [2.1]	14 [1.7]	
Pars Distalis, Cyst, Multiple		1			
Pars Distalis, Hyperplasia	1 [3.0]	2 [3.5]	1 [3.0]	2 [2.5]	
Pars Distalis, Hyperplasia, Focal	12 [2.0]	9 [2.1]	5 [2.0]	8 [1.4]	
Pars Distalis, Hypertrophy	2 [3.0]	o [=]	4 [1.8]	• []	
Pars Intermedia, Angiectasis	1 [3.0]	1 [1.0]	. [0]	2 [3.0]	
Pars Intermedia, Cyst	2 [1.5]	2 [1.5]	2 [1.0]	2 [0.0]	
Rathke's Cleft, Hemorrhage	2 [2.0]	2 [2.0]	2 [1.5]	1 [2.0]	
Thyroid Gland	(47)	(49)	(49)	(50)	
Degeneration, Cystic	2 [1.0]	8 [1.1]	5 [1.0]	4 [1.5]	
Ultimobranchial Cyst	1 [2.0]	1 [2.0]	3 [1.3]	4 [1.5]	
C-cell, Hyperplasia	18 [1.8]	17 [1.6]		24 [4 2]	
Follicular Cell, Hyperplasia, Focal	10 [1.0]		20 [2.0]	21 [1.3]	
Follicular Cell, Hyperplasia, Focal		3 [1.0]			
ENERAL BODY SYSTEM					
Tissue NOS	(0)	(0)	(3)	(0)	
Fat, Necrosis			1 [2.0]		
Fat, Mediastinum, Necrosis			1 [3.0]		
ENITAL SYSTEM					
Clitoral Gland	(50)	(49)	(50)	(50)	
Abscess	1	(- /	\ /	1	
Cyst	•	2 [3.5]	4 [4.0]	·	
Hyperplasia	7 [2.6]	3 [2.3]	8 [2.6]	7 [2.6]	
Hyperplasia, Squamous	. [=.0]	0 [2:0]	1 [4.0]	. [~]	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED FEED

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Milk thistle extract

CAS Number: 84604-20-6

Time Report Requested: 11:00:55 First Dose M/F: 03/04/03 / 03/04/03

Date Report Requested: 10/09/2008

Lab: SRI

FISCHER 344 RATS FEMALE	0 PPM	12500 PPM	25000 PPM	50000 PPM
	011111	1200011111	2000	300011111
Inflammation, Acute	1 [1.0]		1 [4.0]	
Inflammation, Chronic	5 [2.6]	6 [2.0]	6 [1.2]	6 [1.8]
Ovary	(50)	(49)	(50)	(50)
Cyst	9 [2.4]	8 [2.6]	19 [2.3]	10 [2.2]
Granulosa Cell, Hyperplasia	1 [1.0]	2 [1.5]		
Uterus	(50)	(49)	(50)	(50)
Decidual Reaction		1 [3.0]		
Hemorrhage		1 [4.0]		
Hyperplasia, Cystic	32 [1.8]	30 [2.0]	33 [2.0]	31 [1.9]
Vagina	(2)	(2)	(3)	(5)
HEMATOPOIETIC SYSTEM				
Bone Marrow	(49)	(50)	(50)	(50)
Depletion Cellular			1 [3.0]	
Hyperplasia	5 [3.0]	5 [3.0]	8 [3.0]	1 [2.0]
Infiltration Cellular, Histiocyte			2 [1.5]	
Myelofibrosis			1 [2.0]	
Lymph Node	(9)	(8)	(5)	(8)
Deep Cervical, Ectasia				1 [3.0]
Deep Cervical, Hemorrhage		1 [2.0]		
Deep Cervical, Pigmentation		1 [4.0]		
Mediastinal, Ectasia		1 [2.0]		
Mediastinal, Hemorrhage	2 [2.5]	2 [3.0]	2 [3.0]	1 [3.0]
Mediastinal, Hyperplasia, Lymphoid	3 [2.3]	3 [2.7]		
Mediastinal, Hyperplasia, Plasma Cell			1 [3.0]	
Mediastinal, Infiltration Cellular,	1 [3.0]			
Histiocyte				
Mediastinal, Pigmentation	4 [2.8]			1 [3.0]
Pancreatic, Ectasia	1 [3.0]			
Pancreatic, Hemorrhage	1 [3.0]	1 [2.0]		1 [2.0]
Pancreatic, Hyperplasia, Lymphoid		1 [3.0]		
Pancreatic, Pigmentation	1 [3.0]			1 [3.0]
Lymph Node, Mandibular	(1)	(3)	(2)	(2)
Ectasia		1 [1.0]		
Hemorrhage			1 [1.0]	
Hyperplasia, Lymphoid		1 [2.0]	1 [2.0]	
Infiltration Cellular, Histiocyte		1 [2.0]		
Pigmentation		1 [1.0]		

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: RATS/F 344/N

Route: DOSED FEED

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Milk thistle extract

CAS Number: 84604-20-6

Time Report Requested: 11:00:55

First Dose M/F: 03/04/03 / 03/04/03

Date Report Requested: 10/09/2008

FISCHER 344 RATS FEMALE	0 PPM	12500 PPM	25000 PPM	50000 PPM	
Lymph Node, Mesenteric	(49)	(48)	(50)	(50)	
Ectasia	1 [2.0]	1 [2.0]	1 [2.0]		
Fibrosis Hemorrhage	1 [2.0] 3 [1.0]	4 [1.0]	3 [1.7]	5 [1.0]	
Hyperplasia, Lymphoid	3 [1.0] 1 [2.0]	9 [1.8]	5 [1.7] 5 [1.8]	2 [2.0]	
Hyperplasia, Eyriphold Hyperplasia, Reticulum Cell	1 [2.0]	9 [1.0]	J [1.0]	2 [2.0] 1 [3.0]	
Pigmentation	47 [1.5]	39 [1.2]	29 [1.3]	18 [1.2]	
Spleen	(49)	(50)	(50)	(49)	
Fibrosis	(/	,	,	1 [3.0]	
Hematopoietic Cell Proliferation	5 [1.8]	5 [2.2]	7 [1.9]	2 [1.5]	
Hyperplasia, Focal	1 [3.0]				
Necrosis	1 [3.0]			1 [4.0]	
Pigmentation	43 [3.2]	42 [3.0]	37 [2.7]	42 [3.0]	
Lymphoid Follicle, Atrophy	1 [2.0]	1 [1.0]	7.14.01	1 [3.0]	
Lymphoid Follicle, Hyperplasia	2 [1.5]	5 [1.6]	7 [1.9]	1 [1.0]	
Thymus Cyst	(50)	(49)	(48) 2 [2.0]	(49) 1 [1.0]	
Hemorrhage	17 [1.2]	15 [1.5]	2 [2.0] 13 [1.2]	14 [1.3]	
NTEGUMENTARY SYSTEM Mammary Gland Hyperplasia Hyperplasia, Focal Duct, Ectasia Duct, Hyperplasia Skin Cyst Epithelial Inclusion	(50) 20 [2.2] 20 [1.6] 44 [2.2] 1 [1.0] (50) 1	(50) 17 [1.8] 26 [1.6] 37 [2.0] (50) 1	(50) 24 [2.2] 11 [1.4] 36 [1.9] (50) 1	(50) 23 [2.3] 20 [1.7] 40 [2.1] (50)	
Hyperkeratosis Ulcer	1 [3.0]			2 [3.0] 1 [3.0]	
Epidermis, Hyperplasia	1 [3.0]			2 [2.5]	
MUSCULOSKELETAL SYSTEM					
Bone Femur, Osteopetrosis	(50)	(50)	(50)	(50)	
Skeletal Muscle	1 [1.0] (1)	1 [2.0] (0)	1 [4.0] (1)	2 [1.5] (0)	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED FEED

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Milk thistle extract

CAS Number: 84604-20-6

Time Report Requested: 11:00:55 First Dose M/F: 03/04/03 / 03/04/03

Date Report Requested: 10/09/2008

Lab: SRI

FISCHER 344 RATS FEMALE	0 PPM	12500 PPM	25000 PPM	50000 PPM
NERVOUS SYSTEM				
Brain	(50)	(50)	(50)	(50)
Compression	5 [3.0]	9 [3.0]	12 [2.7]	10 [3.1]
Developmental Malformation Gliosis			1 [2.0] 1 [3.0]	
Hemorrhage	4 [1.0]	7 [1.1]	8 [1.0]	14 [1.1]
Mineralization			0.10.51	1 [1.0]
Necrosis			2 [3.5]	1 [1.0]
RESPIRATORY SYSTEM				
Lung	(50)	(50)	(49)	(50)
Congestion	0.14.01	2 [2.0]	1 [2.0]	0.[4.7]
Hemorrhage Hyperplasia, Lymphoid	3 [1.3]	4 [1.5]	2 [1.5] 1 [2.0]	6 [1.7]
Infiltration Cellular, Histiocyte	45 [1.0]	44 [1.0]	45 [1.0]	45 [1.0]
Inflammation, Suppurative			1 [2.0]	
Inflammation, Chronic	1 [1.0]		2 [2.0]	10 [1.8]
Metaplasia, Osseous	1 [1.0]	1 [1.0]	20 [4 2]	1 [1.0]
Alveolar Epithelium, Hyperplasia Nose	25 [1.4] (50)	25 [1.3] (50)	29 [1.3] (49)	25 [1.6] (50)
Foreign Body	(30)	3 [1.3]	1 [1.0]	4 [2.0]
Hemorrhage		1 [3.0]		
Inflammation, Chronic	7 [1.6]	9 [1.8]	7 [1.6]	8 [1.6]
Goblet Cell, Hyperplasia Nasolacrimal Duct, Cyst	1 [1.0]	1 [1.0]	1 [1.0]	1 [2 0]
Nasolacrimal Duct, Cyst Nasolacrimal Duct, Hyperplasia,		1 [2.0] 1 [3.0]	1 [2.0]	1 [2.0]
Squamous		, [0.0]	, [_ .0]	
Respiratory Epithelium, Hyperplasia	2 [1.5]	5 [1.6]	1 [2.0]	2 [2.0]
Trachea	(50)	(50)	(50)	(50)
Inflammation, Acute	1 [1.0]			
SPECIAL SENSES SYSTEM				
Eye	(48)	(48)	(49)	(50)
Cataract	4 [0 0]	6 [3.2]	3 [4.0]	4 [3.5]
Edema Inflammation, Chronic	1 [2.0]	4 [3.0] 1 [1.0]	3 [3.3] 1 [1.0]	4 [3.5] 1 [2.0]
iiiiaiiiiiatioii, Oilioillo		ر۱.۰۰	, [1.0]	· [2.0]

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Test Type: CHRONIC

Species/Strain: RATS/F 344/N

Route: DOSED FEED

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Milk thistle extract

CAS Number: 84604-20-6

Date Report Requested: 10/09/2008

Time Report Requested: 11:00:55 First Dose M/F: 03/04/03 / 03/04/03

FISCHER 344 RATS FEMALE	0 PPM	12500 PPM	25000 PPM	50000 PPM
Cornea, Hyperplasia		1 [2.0]	1 [1.0]	
Retina, Degeneration	1 [3.0]	5 [3.6]	3 [3.7]	3 [4.0]
Harderian Gland Atrophy	(50)	(49)	(50) 1 [3.0]	(50)
Hyperplasia, Focal	1 [1.0]	2 [1.0]	1 [5.0]	1 [3.0]
Inflammation, Chronic	12 [1.0]	7 [1.1]	10 [1.3]	12 [1.2]
Zymbal's Gland	(0)	(1)	(2)	(0)
URINARY SYSTEM				
Kidney	(48)	(49)	(49)	(48)
Casts Granular	1 [3.0]			
Cyst	1 [2.0]	0.10.01	1 [2.0]	4 [0.0]
Infarct Inflammation		3 [2.0]	1 [2.0]	1 [2.0]
Inflammation, Chronic		1 [1.0]	1 [2.0]	1 [2.0]
Inflammation, Chronic Active	1 [4.0]		1 [2.0]	1 [2.0]
Mineralization	21 [1.0]	28 [1.1]	30 [1.1]	26 [1.0]
Necrosis	1 [1.0]			
Nephropathy	36 [1.2]	45 [1.3]	43 [1.4]	42 [1.3]
Vacuolization Cytoplasmic	2 [1.5]		4 [0.0]	
Bilateral, Infarct	4 [0 0]	4 [4 0]	1 [2.0]	4 [0 0]
Renal Tubule, Accumulation, Hyaline Droplet	1 [3.0]	4 [4.0]	6 [3.5]	1 [3.0]
Renal Tubule, Hyperplasia				1 [1.0]
Renal Tubule, Necrosis			2 [1.5]	1 [2.0]
Transitional Epithelium, Hyperplasia	3 [2.0]	3 [2.0]	4 [1.5]	4 [2.3]
Urinary Bladder	(50)	(49)	(50)	(50)

^{***} END OF REPORT ***

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)